Author Index Vol. 773

Abidi, S.L. and Mounts, T.L.
Reversed-phase separations of nitrogenous phospholipids on an octadecanoyl poly(vinyl alcohol) phase 773(1997)93
Adams, M.W.W., see Joachimiak, A. 773(1997)131
Akapo, S.O., Matyska, M.T. and Pesek, J.J.
Retention characteristics and selected applications of cyclic siloxane-based octadecylsilyl bonded phases in reversed-phase high-performance liquid chromatography 773(1997)53
Aoe, K., see Yaku, K. 773(1997)277
Baru, M.B., see Danilov, A.V. 773(1997)103
Becker, K., see Blum, C. 773(1997)377
Billiot, E., Wang, J. and Warner, I.M.
Improved chiral separation using achiral modifiers in cyclodextrin modified capillary zone electrophoresis 773(1997)321
Blum, C., Kubeczka, K.-H. and Becker, K.
Supercritical fluid chromatography–mass spectrometry of thyme extracts (*Thymus vulgaris* L.) 773(1997)377
Bocchini, P., Galletti, G.C., Camarero, S. and Martinez, A.T.
Absolute quantitation of lignin pyrolysis products using an internal standard 773(1997)227
Busto, O., see Mestres, M. 773(1997)261
Camarero, S., see Bocchini, P. 773(1997)227
Caruso, J.A., see Zoorob, G.K. 773(1997)157
Casella, I.G., see Cataldi, T.R.I. 773(1997)115
Cataldi, T.R.I., Centonze, D., Casella, I.G. and Desimoni, E.
Anion-exchange chromatography with electrochemical detection of alditols and sugars at a Cu_2O–carbon composite electrode 773(1997)115
Centonze, D., see Cataldi, T.R.I. 773(1997)115
Chankvetadze, B., Saito, M., Yashima, E. and Okamoto, Y.
Enantioseparation using selected polysaccharides as chiral buffer additives in capillary electrophoresis 773(1997)331
Chase, H.A., see McCreath, G.E. 773(1997)73
Chen, P. and Zhang, M.
Separation of positional isomers of nitrobenzoic acid by reversed-phase liquid chromatography with 2-propanol–water–acetic acid as eluent 773(1997)365
Cherskii, V.V., see Danilov, A.V. 773(1997)103
Chong, J.M., see Pan, L. 773(1997)249
Collins, B.M., see Corthals, G.L. 773(1997)299
Colón, L.A., see Narang, P. 773(1997)65
Corthals, G.L., Collins, B.M., Mabbutt, B.C., Williams, K.L. and Gooley, A.A.
Purification by reflux electrophoresis of whey proteins and of a recombinant protein expressed in *Dictyostelium discoideum* 773(1997)299
Danilov, A.V., Vagenina, I.V., Mustaeva, L.G., Moshnikov, S.A., Gorbunova, E.Yu., Cherskii, V.V. and Baru, M.B.
Liquid chromatography on soft packing material, under axial compression. Size-exclusion chromatography of polypeptides 773(1997)103
Davis, E., see Guan-Sajonz, H. 773(1997)33
Den, J., see Li, H. 773(1997)361
Denizli, A., Salih, B. and Pişkin, E.
New sorbents for removal of heavy metal ions: diamine-glow-discharge treated polyhydroxyethylmethacrylate microspheres 773(1997)169
Desimoni, E., see Cataldi, T.R.I. 773(1997)115
Dimov, N. and Osman, A.
Influence of conformation on the accuracy of quantitative–structure retention relationship calculations in gas chromatography 773(1997)368
Dovletoglou, A., see Zhou, L. 773(1997)311
Fischer, Ch.-H. and Kenndler, E.
Analysis of colloids. IX. Investigation of the electrical double layer of colloidal inorganic nanometer-particles by size-exclusion chromatography 773(1997)179
Fowlis, I.A., see Quayle, W.C. 773(1997)271
French, C.R., Gray, C.J. and Lehrle, R.S.
Quantitative injections or calibrations in gas chromatography. Anomaly associated with syringe type 773(1997)372
Fritz, J.S., see Mayer, D.L. 773(1997)189
Gabernig, R., see Ulberth, F. 773(1997)233
Galletti, G.C., see Bocchini, P. 773(1997)227
Giometti, C., see Joachimiak, A. 773(1997)131
Gooley, A.A., see Corthals, G.L. 773(1997)299
Gorbunova, E.Yu., see Danilov, A.V. 773(1997)103
Gray, C.J., see French, C.R. 773(1997)372
Guan-Sajonz, H., Guiochon, G., Davis, E., Gulakowski, K. and Smith, D.W.
Study of the physico-chemical properties of some packing materials. III. Pore size and surface area distribution 773(1997)33
Guasch, J., see Mestres, M. 773(1997)261
Guiochon, G., see Guan-Sajonz, H. 773(1997)33
Gulakowski, K., see Guan-Sajonz, H. 773(1997)33
Haginaka, J. and Takehira, H.
Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. I. Influences of the pore size of base silica materials and bound protein amounts on chiral resolution 773(1997)85
Hoffmann, J., see Komárek, K. 773(1997)219
Hoogmartens, J., see Yongxin, Z. 773(1997)147
Hu, C.-C., see Liu, C.-Y. 773(1997)199
Hu, Q., see Li, H. 773(1997)361
Ishii, T., see Iwahashi, H. 773(1997)23
Iwahashi, H. and Ishii, T.
Detection of the oxidative products of 3-hydroxykynurenine using high-performance liquid chromatography–electrochemical detection–ultraviolet absorption detection–electron spin resonance spectrometry and high-performance liquid chromatography–electrochemical detection–ultraviolet absorption detection–mass spectrometry 773(1997)23
Jepson, I., see Quayle, W.C. 773(1997)271
Joachimiak, A., Quaite-Randall, E., Tollaksen, S., Mai, X., Adams, M.W.W., Josephs, R. and Giometti, C.
Purification of chaperonins from thermophilic bacteria and archaea 773(1997)131
Josephs, R., see Joachimiak, A. 773(1997)131

Kenndler, E., see Fischer, Ch.-H. 773(1997)179
Klein, E., see Vosmann, K. 773(1997)239
Komárek, K., Pitthard, V., Kostrubaničová, E., Škvarenina, S. and Hoffmann, J.
Capillary gas chromatography–mass spectrometry of lower oxyethylenated aliphatic alcohols 773(1997)219
Kostrubaničová, E., see Komárek, K. 773(1997)219
Kotyński, A., Kudzin, Z.H., Okruszek, A., Krajewska, D., Olesiak, M. and Sierzchała, A.
Iodine–azide reagent in detection of thiophosphoryl nucleotides in thin-layer chromatography systems 773(1997)285
Krajewska, D., see Kotyński, A. 773(1997)285
Kubeczka, K.-H., see Blum, C. 773(1997)377
Kudzin, Z.H., see Kotyński, A. 773(1997)285
Lehrle, R.S., see French, C.R. 773(1997)372
Li, H., Li, Y., Den, J. and Hu, Q.
Quantitative determination of mono- and dipentaerythritol in synthesis solutions by high-performance liquid chromatography 773(1997)361
Li, Y., see Li, H. 773(1997)361
Liu, C.-Y., Hu, C.-C. and Yang, C.-L.
Synthesis and characterization of a novel wall coated capillary column for the separation of polycyclic aromatic hydrocarbons 773(1997)199
Locke, D.C., see Zhou, L. 773(1997)311
Luyben, K.Ch.A.M., see van Buel, M.J. 773(1997)1
Luyben, K.Ch.A.M., see van Buel, M.J. 773(1997)13
Mabbutt, B.C., see Corthals, G.L. 773(1997)299
Mai, X., see Joachimiak, A. 773(1997)131
Maris, F.A., see Wynia, G.S. 773(1997)339
Martinez, A.T., see Bocchini, P. 773(1997)227
Matyska, M.T., see Akapo, S.O. 773(1997)53
Mayer, D.L. and Fritz, J.S.
Semi-micro solid-phase extraction of organic compounds from aqueous and biological samples 773(1997)189
McCreath, G.E., Owen, R.O., Nash, D.C. and Chase, H.A.
Preparation and use of ion-exchange chromatographic supports based on perfluoropolymers 773(1997)73
Mestres, M., Busto, O. and Guasch, J.
Chromatographic analysis of volatile sulphur compounds in wines using the static headspace technique with flame photometric detection 773(1997)261
Morishita, F., see Yaku, K. 773(1997)277
Moshnikov, S.A., see Danilov, A.V. 773(1997)103
Mounts, T.L., see Abidi, S.L. 773(1997)93
Mustaeva, L.G., see Danilov, A.V. 773(1997)103
Narang, P. and Colón, L.A.
Sol–gel-derived fluorinated stationary phase for open tubular electrochromatography 773(1997)65
Nash, D.C., see McCreath, G.E. 773(1997)73
Nishimura, N., see Yaku, K. 773(1997)277
Nowack, B.
Determination of phosphonates in natural waters by ion-pair high-performance liquid chromatography 773(1997)139
Okamoto, Y., see Chankvetadze, B. 773(1997)331
Okruszek, A., see Kotyński, A. 773(1997)285
Olesiak, M., see Kotyński, A. 773(1997)285
Osman, A., see Dimov, N. 773(1997)368
Owen, R.O., see McCreath, G.E. 773(1997)73
Padarauskas, A. and Schwedt, G.
Capillary electrophoresis in metal analysis. Investigations of multi-elemental separation of metal chelates with aminopolycarboxylic acids 773(1997)351
Pan, L., Chong, J.M. and Pawliszyn, J.
Determination of amines in air and water using derivatization combined with solid-phase microextraction 773(1997)249
Pawliszyn, J., see Pan, L. 773(1997)249
Perez, A., see Yongxin, Z. 773(1997)147
Pesek, J.J., see Akapo, S.O. 773(1997)53
Pişkin, E., see Denizli, A. 773(1997)169
Pitthard, V., see Komárek, K. 773(1997)219
Porqueras, E., see Yongxin, Z. 773(1997)147
Post, P.C., see Wynia, G.S. 773(1997)339
Quaite-Randall, E., see Joachimiak, A. 773(1997)131
Quayle, W.C., Jepson, I. and Fowlis, I.A.
Simultaneous quantitation of sixteen organochlorine pesticides in drinking waters using automated solid-phase extraction, high-volume injection, high-resolution gas chromatography 773(1997)271
Roets, E., see Yongxin, Z. 773(1997)147
Rykowska, I., see Wasiak, W. 773(1997)209
Saito, M., see Chankvetadze, B. 773(1997)331
Salih, B., see Denizli, A. 773(1997)169
Sato, T., see Yaku, K. 773(1997)277
Schwedt, G., see Padarauskas, A. 773(1997)351
Sierzchała, A., see Kotyński, A. 773(1997)285
Škvarenina, S., see Komárek, K. 773(1997)219
Smith, D.W., see Guan-Sajonz, H. 773(1997)33
Suzuki, Y.
Determination of low-molecular-mass organic acids in fogwater by ion-exchange chromatography with automatic column switching 773(1997)123
Takehira, H., see Haginaka, J. 773(1997)85
Tollaksen, S., see Joachimiak, A. 773(1997)131
Tong, W.G., see Wu, Z. 773(1997)291
Trubig, J., see Zhou, L. 773(1997)311
Ulberth, F. and Gabernig, R.
Quantitative aspects of triglyceride analysis by gas–liquid chromatography using a short metal capillary column 773(1997)233
Vagenina, I.V., see Danilov, A.V. 773(1997)103
Van Buel, M.J., van der Wielen, L.A.M. and Luyben, K.Ch.A.M.
Pressure drop in centrifugal partition chromatography 773(1997)1
Van Buel, M.J., van der Wielen, L.A.M. and Luyben, K.Ch.A.M.
Modelling gradient elution in centrifugal partition chromatography 773(1997)13
Van der Wielen, L.A.M., see van Buel, M.J. 773(1997)1
Van der Wielen, L.A.M., see van Buel, M.J. 773(1997)13
Verhasselt, A., see Yongxin, Z. 773(1997)147
Vosmann, K., Klein, E. and Weber, N.
Reaction of fatty acid amides and ethanolamides with trimethylsulfonium hydroxide 773(1997)239
Wang, J., see Billiot, E. 773(1997)321
Warner, I.M., see Billiot, E. 773(1997)321
Wasiak, W. and Rykowska, I.
Chemically bonded chelates as selective complexing

sorbents for gas chromatography. VI. Modification of silica with $NiCl_2$ and $CoCl_2$ via β-diketonate groups 773(1997)209
Weber, N., see Vosmann, K. 773(1997)239
Williams, K.L., see Corthals, G.L. 773(1997)299
Windhorst, G., see Wynia, G.S. 773(1997)339
Wróbel, K. and Wróbel, K.
Determination of aspartame and phenylalanine in diet soft drinks by high-performance liquid chromatography with direct spectrofluorimetric detection 773(1997)163
Wróbel, K., see Wróbel, K. 773(1997)163
Wu, Z. and Tong, W.G.
Sensitive absorbance detection method for capillary electrophoresis based on laser wave-mixing 773(1997)291
Wynia, G.S., Windhorst, G., Post, P.C. and Maris, F.A.
Development and validation of a capillary electrophoresis method within a pharmaceutical quality control environment and comparison with high-performance liquid chromatography 773(1997)339
Yaku, K., Aoe, K., Nishimura, N., Sato, T. and Morishita, F.
Retention behavior of synthetic corticosteroids in packed-column supercritical fluid chromatography 773(1997)277
Yang, C.-L., see Liu, C.-Y. 773(1997)199
Yashima, E., see Chankvetadze, B. 773(1997)331
Yongxin, Z., Verhasselt, A., Roets, E., Perez, A., Porqueras, E. and Hoogmartens, J.
Evaluation of liquid chromatography methods for the analysis of benzylpenicillin and its related substances 773(1997)147
Zhang, M., see Chen, P. 773(1997)365
Zhou, L., Trubig, J., Dovletoglou, A. and Locke, D.C.
Enantiomeric separation of the novel growth hormone secretagogue MK-0677 by capillary zone electrophoresis 773(1997)311
Zoorob, G.K. and Caruso, J.A.
Speciation of chromium dyes by high-performance liquid chromatography with inductively coupled plasma mass spectrometric detection 773(1997)157